

Just Brilliant!



YOU MAY NEVER HAVE HEARD OF OUR WORK LIGHTS... THAT'S ABOUT TO CHANGE

The ALS range is built on very extensive experience – and an unwavering dedication to making the best work lights in the business. Created by AEC (more than 20 years' comprehensive business experience primarily with focus on portable lighting market) in close collaboration with SCANGRIP, the ALS range combines the best of two worlds: cutting-edge Chinese production know-how and European business insight. ALS is set to make a real impact on the world of work lights. You're welcome to come along for the ride.

Supplier of the world's leading work lights

Based in cosmopolitan Shanghai, we attract the very best minds in the business, and we have produced high-end work lights for many of the world's leading companies for years. Now, we're launching our very own range:

Advanced Lighting Systems – or ALS for short.



MAKING THE BEST WORK LIGHTS IN THE WORLD

The ALS range is made at our own factories to very high quality standards. We're licensed to carry out CSA and TÜV certification at our own facilities – and our designs regularly win the most prestigious global industrial design awards.

We insist on quality

The ALS range is all about combining the newest technology with superior quality. And style, of course. But photos won't give you the full picture: you need to experience them for yourself. Once you've handled and tested these lights, we're confident you'll be convinced.

We move fast

Technology is always evolving – and this is certainly true of LEDs and battery tech. At ALS we keep a close eye on all new developments. When exciting opportunities arise, we can act fast, creating new products to ensure that with ALS, you always get the best the market can offer. Our adaptability also means that we can quickly adjust our product range to specific geographic markets and segments as required.

We're certified

Our insistence on quality means that we meet the strictest industry standards. And we not only meet or exceed standards such as ISO 9001, EN/IEC80079-34. Our production facility has been approved to carry out their own CSA, TÜV and INTERTEK certification tests – definite proof that ALS is technology you can trust.

Award-winning design

The ALS design strategy has been recognized by leading industry experts: our work lights have received Red Dot, iF, IDEA, Red Star and Good Design awards for their combination of quality, performance and style.



reddot award 2019
winner





MORE THAN LIGHT...

ALS combines work lights with advanced features creating innovative lighting solutions for automotive repair, construction and industrial applications.



AUDIO LIGHT SERIES

We have combined the beauty of music and light in our audio lights with built-in Bluetooth speaker which help you increase work efficiency and enjoy your work.

Multi-functional Design

- Power bank function for recharging devices (for no. AUD202H & AUD502H)
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Powerful magnet allows lamp to be securely attached to any metal surface (for no. AUD601R & AUD202H)
- Lights will flash as a low power warning prior to the battery running out
- Dust and water resistant

Brightness Memory Function


- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

AUD601R

- When use at high mode, an intelligent built-in system will toggle to low mode automatically after pressing Bluetooth button to pair with your device for music playing

AUD202H & AUD502H

- Brightness is adjustable to five levels
- Indicator bar shows selected level
- Visual readout of remaining battery life
- Dual fuel system, use with cable or rechargeable Li-ion battery



AUD601R

600lm rechargeable hand-held LED audio light



€ 119,90

300/600lm
4/2h operating time (step 1/2)
3.7V 3200mAh Li-poly battery
IP65



AUD202H

2000lm rechargeable & corded LED audio light



€ 219,90

400-2000lm (5 steps)
2.5-12h operating time
7.2V 6000mAh Li-ion battery
Power bank output 5V 1A
IP67



AUD502H

5000lm rechargeable & corded LED audio light



€ 279,90

1000-5000lm (5 steps)
1.5-7.5h operating time
10.8V 6000mAh Li-ion battery
Power bank output 5V 1A
IP67



Unique nylon bags





reddot award 2019
winner



BEAM ANGLE BEAM DISTANCE

LASER RANGE FINDER WORK LIGHT

RFL251R combines laser range finder with work light. It's small and sturdy designed for professional users, especially construction workers.

High Efficiency LED

- Front COB LED provides 250/125lm brightness
- 120lm top high-power LED lamp can be used as a flashlight for narrow work areas

Multi-functional Design

- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Lights will flash as a low power warning prior to the battery running out

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

Laser Distance Measurement

- Measuring range up to 60m with high accuracy +/- 3mm
- Single and continuous measurement
- Unit conversion between ft, in and m
- 3 last measurements can be recorded



RFL251R

250lm rechargeable
laser range finder /
work light



€ 99,90

Front: 125/250lm
Top: 120lm
Laser: 650nm wavelength
peak power <1mW
4/2/2.5h operating time
(step 1/2/top)
3.8V 1600mAh Li-poly battery

ICONS on the screen



two datum marks
top/bottom



measuring in
progress




fuel gauge



unit conversion





SMART AREA LIGHT

SAL151R provides super powerful and functional portable lighting solutions. Due to flood and spot modes with 7-in-1 magic stand, it can free hands to boost your efficiency, brings all kinds of possibilities.

High efficiency LED

- 1500 lumens COB LED flood light with stepless brightness adjustment
- 500 lumens high power LED spot light with stepless brightness adjustment

Smart design

- Human body sensor system (HBS): with 360° microwave radar sensor, only lights up when human body is in sensing range (3-5m). Save battery power and battery lifecycle

- Obstacle detection system (ODS): due to proximity sensor, the work light turns off automatically when an obstacle (paper, box, bag, textile, tools, wall, ground, etc.) is monitored at close range from light source. Avoid potential safety risk

Multifunctional and durable design

- 7-in-1 stand with powerful functions: stand, magnet, hook on tube, belt buckle, 180° rotating in axial, 360° rotating in radial, and notch on hook for storage, free your hands
- Battery capacity and working status display
- Type-C charging socket
- High quality aluminum housing is impact resistant
- IP67 dust and water resistant, drop impact resistant



High quality aluminum housing



IP67 dust and water resistant



The movable diffuser can be positioned on the spot light or the Flood light



180°

7 in 1
STAND



360°

SAL151R

1500lm rechargeable LED smart area light

€ 99,90

Flood: 150-1500lm (stepless)
Spot: 50-500lm (stepless)
1.5-12/2-20h operating time (flood/spot)
3.7V 5200mAh Li-ion battery
IP67

Available February 2021



FLOOD LIGHT SERIES

The flood light series provides a complete and portable lighting solution with brightness from 1,500 to 10,000 lumen.

High Efficiency COB LED

- Brightness is adjustable to five levels
- Indicator bar shows selected level

Multi-functional Design

- Power bank function for recharging devices
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Visual readout of key data
- Lights will flash as a low power warning prior to the battery running out
- IP67 dust and water resistant

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

SPX201R & SPX151RUV

- Powerful magnet allows lamp to be securely attached to any metal surface

SPX601H & SPX601C & SPX10K1C

- Brightness can be controlled using exclusive ALS mobile app
- Use with cable or rechargeable Li-ion battery (for no. SPX601H)

Easy to carry - SPX201R & SPX151RUV



Glow-in-the-dark



Water proof - IP67



SPX201R
2000lm heavy duty rechargeable LED spot light



€ 119,90

400-2000lm (5 steps)
2.5-15h operating time
7.2V 6000mAh Li-ion battery
Power bank output 5V 1A
IP67



SPX151RUV
1500lm heavy duty rechargeable COB & UV LED spot light



€ 259,90

300-1500lm (5 steps)
UV: 365nm wavelength
2.5-15h operating time
7.2V 6000mAh Li-ion battery
Power bank output 5V 1A
IP67



SPX601H
6000lm heavy duty rechargeable & corded LED spot light



€ 249,90

1200-6000lm (5 steps)
1-6h operating time
10.8V 6000mAh Li-ion battery
Power bank output 5V 1A
IP67



SPX601C
6000lm corded heavy duty LED spot light



€ 159,90

1200-6000lm (5 steps)
Power bank output 5V 1A
IP67



SPX10K1C
10000lm corded heavy duty LED spot light



€ 249,90

2000-10000lm (5 steps)
Power bank output 5V 1A
IP67





SEARCH LIGHT

Search light series allows you to spot farther and flood brighter, giving you versatility, performance, and durability all in one light.

Multi-functional Design

- Heat radiation technology of aluminum material
- Flood and Spot function
- Waterproof
- Flush mounted metal hook on the bottom is designed for hanging and carrying
- Nylon carrying strap design, easy to carry and use
- Detachable battery, can be exchanged with an extra battery
- Type C charging port design
- Visual readout of remaining battery life
- Lights will flash as a low power warning prior to the battery running out



Flood mode: 2000lm



Spot mode: 700lm
Beam distance: > 500m

SCH2K2R

2000lm rechargeable & water proof LED spot/ flood search light

€ 179.90

Spot: 70-700lm (stepless)
Flood: 200-2000lm (stepless) Beam distance: > 500m
Slim light: 100-1000lm (stepless)
3/1.5/3h operating time (step spot/flood/slim light)
3.7V 8000mAh Li-ion battery
Power bank output 5V 1A
IP65



SCH2K2R

High Efficiency LED

- High-power LED provides spot light with 70-700lm (stepless), 500m beam distance at least
- Ring shaped COB LED provides flood light with 200-2000lm (stepless)
- 180° rotated slim light with 100-1000lm (stepless) COB LED provides more application
- IP65 dust and water resistant
- Power bank function for recharging devices
- Detachable built-in battery pack can be used as mini power bank for recharging devices



Heat radiation technology
Aluminum Material



Diffuser cover
Protect the eyes





reddot award 2019
winner



500 LUMEN 15° BEAM ANGLE 150m BEAM DISTANCE

SLIM LIGHT SERIES

Compact and ultra-slim design makes slim light series comfortable to carry in the pocket ready at hand for the daily inspection tasks. Owing to aluminum housing, the three lights feature heavy duty, anti-corrosion and good heat radiation.

High Efficiency LED

- Front COB LED can be adjusted stepless from 10% to 100% of brightness, which provides lights with up to 350/1000lm respectively
- Additional spotlight on the top provides you with an efficient flashlight function

Multi-functional Design

- 4-in-1 clip offers stand, magnet, hook and clip applications
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark

- Lights will flash as a low power warning prior to the battery running out
- Dust and water resistant

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

SLM1K2R

- Obstacle Detection System (ODS)



SLM351R


350lm rechargeable
LED slim light

€ 54,90

Front: 30-350lm (stepless)
Top: 100lm
2-20/3.5h operating time
(step front/top)
3.7V 1500mAh Li-poly battery
IP54



Strong magnets



WIRELESS CHARGING WORK LIGHT

Due to wireless charging function, the light can be charged not only by adapter with cable. The compact and ultra-slim design makes the lights comfortable to carry and use.

High Efficiency LED

- Front COB LED can be adjusted stepless from 10% to 100% of brightness, which provides lights with up to 1000lm respectively
- Additional spotlight on the top provides you with an efficient flashlight function

Multi-functional Design

- 4-in-1 clip offers stand, magnet, hook and clip applications
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Dust and water resistant


- Lights will flash as a low power warning prior to the battery running out

Wireless Charging Base

- WCB001R is the perfect accessory for SLM1K2R, and all Qi-enabled phones and devices
- Safety protection - overcurrent, overvoltage, over-temperature
- Easy to pair with switch of pairing
- Indicator lets you know the charging status

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated



Input: 5V-9V, 1.5A-2A
Output: 5W / 7.5W / 10W



WCB001R
Multifunctional wireless charging base



SLM1K2R

600lm wireless charging LED slim light with super bright torch light

€ 99.⁹⁰

Front: 100-1000lm (stepless)
Top: 500lm, 150m beam distance
2.5-25/2.5h operating time (step front/top)
3.7V 4000mAh Li-poly battery
IP67



Powerful all the time



Magnet absorption



Wireless charging

KEYCHAIN FLASHLIGHT

Keychain light raises performance, technology and design to a new level. The new keychain light is a very bright and compact light in anodized aluminium housing. The clip makes it easy to attach the light on clothes, bags or similar.

Multi-functional Design

- The ultra-thin and compact design makes keychain light comfortable to carry in the pocket for the daily inspection tasks

- Type-C charging port design
- Keychain design on the bottom of light for easy carrying
- Lights will flash as a low power warning prior to the battery running out
- Mini design with 60lm for easy to carry and use




GFL061R

60lm rechargeable
LED keychain light

€ 9,90

60lm
1.5-2h operating time
3.7V 180mAh Li-ion battery



PEN LIGHT SERIES



The new pen light series combines multi-functions into one compact pen light. It provides more applications with flood light, spot light and laser pointer. In addition, strong magnetic and rotated clip is new designed for using by releasing your hands.

High Efficiency COB LED

- Front COB LED provides 150/75lm brightness

Multi-functional Design

- Innovative clip with strong magnets can be 120° rotated, provides more angles for use
- The red charging indicator lights up during charging



PEN153R

150lm rechargeable & magnetic LED pen light

€ 29,90

Front: 75/150lm
Bottom: 100lm
4/2/2.5h operating time
(step 1/2/bottom)
3.7V 600mAh Li-poly battery
USB-C
IP20



PEN154R

150lm rechargeable & magnetic LED pen light with laser pointer



€ 39,90

Front: 75/150lm
Laser: 650nm wavelength
peak power <1mW
Bottom: 100lm
4/2/2.5h operating time
(step 1/2/bottom)
3.7V 600mAh Li-poly battery



- Light will flash as a low power warning prior to the battery running out

Brightness Memory Function


- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

PEN154R

- FDA certificated laser on the top, <1mW, 650nm wavelength



Easy to carry



Spot mode



650nm
wavelength

Laser pointer



100lm
spot light



BEAM ANGLE



BEAM DISTANCE

STICK LIGHT SERIES

Compact and ultra-slim design makes the stick light series comfortable to carry in the pocket ready at hand for the daily inspection tasks.

High Efficiency LED

- Front COB LED provides lights with up to 150/400lm respectively
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas

Multi-functional Design

- Strong built-in magnets for handsfree use
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark



An intelligent fuel gauge keeps you informed about battery level

- Lights will flash as a low power warning prior to the battery running out
- IP54 dust and water resistant

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated



SLM151R

150lm rechargeable LED stick light

€ 39,90

Front: 75/150lm
Top: 100lm
4/2/2.5h operating time (step 1/2/top)
3.7V 600mAh Li-poly battery
IP54



SLM401R

400lm rechargeable LED stick light

€ 54,90

Front: 200/400lm
Top: 100lm
4/2/5h operating time (step 1/2/top)
3.7V 1200mAh Li-poly battery
IP54

Ultra-slim
13.5mm



4 in 1
ACCESSORY



ACS528M
Magnetic hook



Stand



Magnet



Hook



Clip



red dot award 2017
winner

HEAD LAMP SERIES

The LED headlamps are optimised to be lightweight and compact by providing superior light with multi-function for your work environment.

High Efficiency COB LED

- Front COB LED provides lights with up to 120/200/250lm respectively
- Lights will flash as a low power warning prior to the battery running out
- Dust and water resistant

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

HDL121R & HDL251R

- Headlamps with magnets can be detached to adhere to any metal surface

- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark

HDL201R

- The brightness can be adjusted stepless according to different working area and needs
- Motion sensor activates on/off with a wave of hand
- Lamp can be 90° rotated for multi-angle using

HDL251R


- HDL251R has three light modes – Spot, Flood and Arc shaped
- Motion sensor activates on/off with a wave of hand



Detachable design
HDL121R & HDL251R



Water proof



HDL201R - Flex function up to 90 degrees



HDL121R

120lm detachable & rechargeable LED headlamp

€ 34,90

60/120lm
5/2.5h operating time (step 1/2)
3.7V 800mAh Li-poly battery
IP65



HDL201R

200lm rechargeable sensor LED headlamp

€ 29,90

20-200/120lm
(flood stepless/spot)
3/2.5-25h operating time
(step spot/flood)
3.7V 1400mAh Li-poly battery
IP54



HDL251R

250lm detachable & rechargeable sensor LED headlamp

€ 69,90

150/250/120lm
(spot/flood/bottom)
2.5/2.5/3h operating time
(step spot/flood/bottom)
3.8V 1600mAh Li-poly battery
IP65

ARTICULATING SLIM LIGHT SERIES

The articulating slim light ultra-thin design allow for inspections in the most inaccessible and narrow work areas. This makes the work light ideal for very demanding and difficult inspection jobs.

High Efficiency LED

- Front COB LED provides lights with up to 200/500lm respectively
- 100lm top high-power LED lamp can be used as a flashlight for narrow work areas


Multi-functional Design

- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Light pivots a full 360 degrees for easy handling and storage

- Powerful magnet allows lamp to be securely attached to any metal surface
- Flush mounted metal hook on the bottom can be rotated for hanging and carrying
- Lights will flash as a low power warning prior to the battery running out

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated



Ultra-thin, only 9mm wide



ASL201R

200lm ultra-thin rechargeable LED articulating slim light

€ 59,90

Front: 200lm
Top: 100lm
2.5/3h operating time
(step front/top)
3.7V 1200mAh Li-poly battery



ASL202RUV

200lm ultra-thin re-chargeable COB&UV LED articulating slim light

€ 79,90

Front: 200lm
UV: 395nm wavelength
Top: 100lm
2.5/3h operating time
(step front/top)
3.7V 1200mAh Li-poly battery



ASL501R

500lm ultra-thin rechargeable LED articulating slim light

€ 69,90

Front: 250/500lm
Top: 100lm
5/2.5/7h operating time
(step 1/2/top)
3.8V 3000mAh Li-poly battery



STRAIGHT FOLDING LIGHT SERIES

The Straight Folding Light Series is a rechargeable and portable work light.

High Efficiency LED

- Front COB LED provides lights with up to 200/500lm respectively
- Top high-power LED lamp can be used as a flash-light for narrow work areas

Multi-functional Design

- Flexible 180 degree bracket with strong magnet
- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Powerful magnet allows lamp to be securely attached to any metal surface
- Flush mounted hook at back can be rotated for hanging and carrying

- An intelligent fuel gauge keep you informed about battery level


- Lights will flash as a low power warning prior to the battery running out
- IP65 dust and water resistant

Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

SFL501R

- SFL501R includes charging base with magnet and mounting holes (screws included)



SFL201R

200lm rechargeable straight folding LED work light

€ 49,90

Front: 200lm
Top: 100lm
2.5/3h operating time
(step front/top)
3.7V 1200mAh Li-poly battery
IP65



SFL501R

500lm rechargeable straight folding LED work light

€ 74,90

Front: 250/500lm
Top: 150lm
5/2.5/5h operating time
(step 1/2/top)
3.8V 3000mAh Li-poly battery
IP65



UNDERHOOD LIGHT SERIES



The Underhood Lights are versatile lights for use in automotive repair, construction, industrial and many other applications. These SMD LED lights provide 75% more luminescence compared to traditional fluorescent lights.

Multi-functional Design

- Bar extends from 1.2 to 2m
- Coated brackets prevent scratches on car surfaces
- Detachable battery pack for charging
- Light can swivel 360° on the bracket
- The light will flash as a low power warning prior to the battery running out
- IP54 dust and water resistant

2-in-1 Charging Base

- Charging base functions as a flashlight which has COB LED for flood light and SMD LED for spot light



€ 189.⁹⁰

UHL101R

1000lm rechargeable LED
underhood light

Main SMD LED: 500/1000lm

Charging base:


Ring-shaped COB LED: 800 lumen

SMD Spot light: 400 lumen

4/2h operating time

3.6V 5000mAh Li-ion detachable battery pack

IP54



Flexible detachable





Brightness Memory Function

- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated

UHL201R

- Detachable battery pack for replacing
- An intelligent fuel gauge keeps you informed about battery level




UHL201H

- Dual fuel system, use with cable or rechargeable Li-ion battery



Adjustable bar



€ 199.⁹⁰

UHL201R

2000lm rechargeable LED
underhood light
1000/2000 lumen
4/2h operating time (step 1/2)
7.4V 5200mAh Li-ion detachable
battery pack
IP20



detachable
battery
pack



€ 199.⁹⁰

UHL201H

2000lm rechargeable & corded LED
underhood light
1000/2000 lumen
4/2h operating time (step 1/2)
3-4h charging time
7.4V 5200mAh Li-ion battery
IP20

dual fuel
system



ACCESSORIES



up to 3m



up to 1.8m



ACS301F

Heavy duty tripod stand

€ 99,90

Adjustable height: 1.35 - 3m
Fit to AUD202H, AUD502H, SPX601H, SPX601C, SPX10K1C and Underhood Light Series



ACS181W

Heavy duty tripod wheel stand

€ 109,90

Adjustable height: 0.7 - 1.8m
Fit to AUD202H, AUD502H, SPX601H, SPX601C, SPX10K1C and Underhood Light Series



ACS701L

L-shaped bracket

€ 19,90

Mounting AUD202H and AUD502H on tripod stand provides downward light



ACS402F

Heavy-duty C-shaped clip

€ 27,90

For mounting SPX601C, SPX601H, SPX10K1C, AUD202H and AUD502H on e.g. tubes or flat bars
Range 0-62 mm (tubes Ø5-Ø62mm)



ACS201P

Multi-functional fasteners pair

€ 24,90

Detachable multi-functional fasteners pair with tripod stand and wheel stand for hanging Underhood Light Series





Just Brilliant!

AUDIO LIGHT SERIES



LASER RANGE FINDER LIGHT



SMART AREA LIGHT



FLOOD LIGHT SERIES



Model	AUD601R	AUD202H	AUD502H	RFL251R	SAL151R	SPX201R	SPX151RUV	SPX601H	SPX601C	SPX10K1C
Description	600lm rechargeable handheld LED audio light	2000lm rechargeable & corded LED audio light	5000lm rechargeable & corded LED audio light	250lm rechargeable laser range finder / work light	1500lm rechargeable LED smart area light	2000lm heavy duty rechargeable LED spot light	1500lm heavy duty rechargeable COB & UV LED spot light	6000lm heavy duty rechargeable & corded LED spot light	6000lm corded heavy duty LED spot light	10000lm corded heavy duty LED spot light
Light source	COB LED	COB LED	COB LED	COB LED top: high-power LED / laser LED	High efficiency COB LED top: high-power LED	COB LED	COB LED / UV LED	COB LED	COB LED	COB LED
Luminous flux, lm	300/600	400-2000 (5 steps)	1000-5000 (5 steps)	125/250 top: 120	15-1500 (stepless) top: 50-500 (stepless)	400-2000 (5 steps)	300-1500 (5 steps)	1200-6000 (5 steps)	1200-6000 (5 steps)	2000-10000 (5 steps)
Beam angle	120°	120°	120°	120° top: 18°	120° top: 18°	120°	120°	120°	120°	120°
Special light wavelength, nm	/	/	/	laser: 650	/	/	UV: 365	/	/	/
Operating time, h	4/2	2.5-12	1.5-7.5	4/2 top: 2.5	1.5-12 (flood) 2-20 (spot)	2.5-15	2.5-15	1-6	/	/
Charging time, h	3-4	4-5	3-4	2-3	3-4	3-4	3-4	3-4	/	/
Battery	3.7V 3200mAh Li-poly	7.2V 6000mAh Li-ion	10.8V 6000mAh Li-ion	3.8V 1600mAh Li-poly	3.7V 5200 mAh Li-poly	7.2V 6000mAh Li-ion	7.2V 6000mAh Li-ion	10.8V 6000mAh Li-ion	/	/
Protection class	IP65 / IK07	IP67 / IK07	IP67 / IK07	IP20 / IK06	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07
Cable	1m Mini DC	5m	5m	1m Mini DC	1m Mini DC	1.5m DC	1.5m DC	5m	5m	5m
Charging voltage/ current DC	5V 1.5A	8.4V 2.4A	12.6V 4.3A	5V 1.5A	5V 1.5A	8.4V 2.4A	8.4V 2.4A	12.6V 4.3A	12.6V 4.3A	12.6V 4.3A
Adapter/ charger incl.	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No	No
Dimensions, mm	65 x 25 x 160	212 x 134.5 x 65	318 x 205 x 82	47 x 23 x 111	133 x 70 x 63	159 x 121 x 47	159 x 121 x 47	194 x 213 x 70	194 x 213 x 70	244 x 277 x 85
Net weight	300g	1900g	3400g	120g	650g	950g	950g	2590g	2330g	4320g
Price	€ 119.90	€ 219.90	€ 279.90	€ 99.90	€ 99.90	€ 119.90	€ 259.90	€ 249.90	€ 159.90	€ 249.90

SEARCH LIGHT



SLIM LIGHT SERIES



WIRELESS CHARGING



PEN LIGHT SERIES



STICK LIGHT SERIES



Model	SCH2K2R
Description	2000lm rechargeable & water proof LED spot/flood search light
Light source	high-power LED / COBLED slim light: COB LED
Luminous flux, lm	stepless spot: 70-700 flood: 200-2000 slim light: 100-1000
Beam angle	spot: 6° flood: 120° slim light: 120°
Special light wavelength, nm	/
Operating time, h	spot: 3 flood: 1.5 slim light: 3
Charging time, h	3-4
Battery	3.7V 8000mAh Li-Poly
Protection class	IP65 / IK07
Cable	1.5m TType C
Charging voltage/current DC	5V 3A
Adapter/charger incl.	Yes
Dimensions, mm	ø85 x 215
Net weight	690g
Price	€ 179.90

Model	SLM351R
Description	350lm rechargeable LED slim light
Light source	COB LED top: high-power LED
Luminous flux, lm	30-350 (stepless) top: 100
Beam angle	120° top: 15°
Special light wavelength, nm	/
Operating time, h	2-20 top: 3.5
Charging time, h	2-3
Battery	3.7V 1500mAh Li-poly
Protection class	IP54 / IK07
Cable	1m TType C
Charging voltage/current DC	5V 1.5A
Adapter/charger incl.	No
Dimensions, mm	44 x 24 x 116
Net weight	120g
Price	€ 54.90

Model	SLM1K2R
Description	600lm wireless charging LED slim light with super bright torch light
Light source	COB LED top: high-power LED x 2
Luminous flux, lm	100-1000 (stepless) top: 400
Beam angle	120° top: 15°
Special light wavelength, nm	/
Operating time, h	2.5-25 top: 2.5
Charging time, h	3-4
Battery	3.7V 4000mAh Li-poly
Protection class	IP67 / IK07
Cable	1m TType C
Charging voltage/current DC	5V 1.5A
Adapter/charger incl.	No
Dimensions, mm	151 x 58 x 25
Net weight	300g
Price	€ 99.90

Model	PEN153R	PEN154R
Description	150lm rechargeable & magnetic LED pen light	150lm rechargeable & magnetic LED pen light with laser pointer
Light source	COB LED / high-power LED	COB LED / high-power LED / laser
Luminous flux, lm	75/150 spot: 100	75/150 spot: 100
Beam angle	120° spot: 18°	120° spot: 18°
Special light wavelength, nm	/	laser: 650
Operating time, h	4/2 spot: 2.5	4/2 spot: 2.5
Charging time, h	2-3	2-3
Battery	3.7V 600mAh Li-poly	3.7V 600mAh Li-poly
Protection class	IP20 / IK07	IP20 / IK07
Cable	1m Mini DC	1m Mini DC
Charging voltage/current DC	5V 1.5A	5V 1.5A
Adapter/charger incl.	No	No
Dimensions, mm	16 x 19 x 149	16 x 19 x 149
Net weight	50g	50g
Price	€ 29.90	€ 39.90

Model	SLM151R	SLM401R
Description	150lm rechargeable LED stick light	400lm rechargeable LED stick light
Light source	COB LED top: high-power LED	COB LED top: high-power LED
Luminous flux, lm	75/150 top: 100	200/400 top: 100
Beam angle	120° top: 110°	120° top: 50°
Special light wavelength, nm	/	/
Operating time, h	4/2 top: 2.5	4/2 top: 5
Charging time, h	2-3	2-3
Battery	3.7V 600mAh Li-poly	3.7V 1200mAh Li-poly
Protection class	IP54 / IK07	IP54 / IK07
Cable	1m Mini DC	1m Mini DC
Charging voltage/current DC	5V 1.5A	5V 1.5A
Adapter/charger incl.	No	No
Dimensions, mm	35 x 12 x 115	35 x 12 x 200
Net weight	55g	102g
Price	€ 39.90	€ 54.90

KEYCHAIN FLASHLIGHT



HEADLAMP SERIES



ARTICULATING SLIM LIGHT SERIES



Model	GFL061R	HDL121R	HDL201R	HDL251R	ASL201R	ASL202UV	ASL501R
Description	60lm rechargeable LED keychain light	120lm detachable & rechargeable LED head lamp	200lm rechargeable sensor LED head lamp	250lm detachable & rechargeable sensor LED head lamp	200lm ultra-thin rechargeable LED articulating slim light	200lm ultra-thin rechargeable COB&UV LED articulating slim light	500lm ultra-thin rechargeable LED articulating slim light
Light source	COB LED	COB LED	COB LED / high-power LED	COB LED / high-power LED	COB LED top: high-power LED	COB LED / UV LED top: high-power LED	COB LED top: high-power LED
Luminous flux, lm	60	60/120	20-200 (stepless) spot: 120	flood: 250 spot: 150 bottom: 120	200 top: 100	200 top: 100	250/500 top: 100
Beam angle	120°	120°	flood: 120° spot: 18°	flood: 120° spot: 18° bottom: 120°	120° top: 18°	120° top: 18°	120° top: 18°
Special light wavelength, nm	/	/	/	/	/	UV: 395	/
Operating time, h	1.5-2	5/2.5	flood: 2.5-25 spot: 3	flood: 2.5 spot: 2.5 bottom: 3	2.5 top: 3	2.5 top: 3	5/2.5 top: 7
Charging time, h	1-2	2-3	2-3	2-3	2-3	2-3	2-3
Battery	3.7V 180mAh Li-ion	3.7V 800mAh Li-Poly	3.7V 1400mAh Li-Poly	3.8V 1600mAh Li-poly	3.7V 1200mAh Li-Poly	3.7V 1200mAh Li-Poly	3.8V 3000mAh Li-ion
Protection class	IP20	IP65 / IK07	IP54 / IK07	IP65 / IK07	IP20 / IK07	IP20 / IK07	IP20 / IK07
Cable	0.1m Type C	1m Mini DC	1m Type C	1m Mini DC	1m Mini DC	1m Mini DC	1m Mini DC
Charging voltage/current DC	5V 1.5A	5V 1.5A	5V 1.5A	5V 1.5A	5V 1.5A	5V 1.5A	5V 1.5A
Adapter/charger incl.	No	Yes	No	Yes	Yes	Yes	Yes
Dimensions, mm	50 x 22 x 9.6	94 x 43 x 37	68 x 34 x 40	83 x 56 x 42	39 x 29 x 236	39 x 29 x 236	44 x 31 x 303
Net weight	16g	163g	95g	200g	193g	193g	313g
Price	€ 9.90	€ 34.90	€ 29.90	€ 69.90	€ 59.90	€ 79.90	€ 69.90

*Light only: 2.5/6.5h (flood/spot); fan only: 5/12/7h (high/low/intermittent); light with fan: 2h

STRAIGHT LIGHT SERIES



Model	SFL201R	SFL501R
Description	200lm rechargeable straight folding LED work light	500lm rechargeable straight folding LED work light
Light source	COB LED top: high-power LED	COB LED top: high-power LED
Luminous flux, lm	200 top: 100	250/500 top: 150
Beam angle	120° top: 30°	120° top: 30°
Special light wavelength, nm	/	/
Operating time, h	2.5 top: 3	5/2.5 top: 5
Charging time, h	2-3	2-3
Battery	3.7V 1200mAh Li-Poly	3.8V 3000mAh Li-ion
Protection class	IP65 / IK07	IP65 / IK07
Cable	1m Mini DC	1m Mini DC
Charging voltage/ current DC	5V 1.5A	5V 1.5A
Adapter/ charger incl.	Yes	Yes
Dimensions, mm	40 x 23 x 200	46 x 28 x 230
Net weight	223g	433g
Price	€ 49.90	€ 74.90

UNDERHOOD LIGHT SERIES



Model	UHL101R	UHL201R	UHL201H
Description	1000lm rechargeable LED underhood light	2000lm rechargeable LED underhood light	2000lm rechargeable & corded LED underhood light
Light source	SMD LED charging base: COB LED / high-power LED	SMD LED	SMD LED
Luminous flux, lm	500/1000 charging base: 800/400 (flood/spot)	1000/2000	1000/2000
Beam angle	70° charging base: 120°/18° (flood/spot)	70°	70°
Special light wavelength, nm	/	/	/
Operating time, h	4/2	4/2	4/2
Charging time, h	3-4	3-4	3-4
Battery	3.6V 5000mAh Li-ion battery pack	7.2V 5200mAh Li-ion battery pack	7.2V 5200mAh Li-ion battery pack
Protection class	IP54 / IK07	IP20 / IK07	IP20 / IK07
Cable	1.5m DC	1.5m DC	5m
Charging voltage/ current DC	5V 2.5A	8.4V 2.4A	8.4V 2.4A
Adapter/ charger incl.	Yes	Yes	Yes
Dimensions, mm	1192 x 188 x 110	1200 x 188 x 110	1200 x 188 x 110
Net weight	1719g	1770g	1844g
Price	€ 189.90	€ 199.90	€ 199.90

ACCESSORIES



Model	BP-UHL101R	BP-UHL201R
Description	detachable battery pack for UHL101R	detachable battery pack for UHL201R / SCH1K1R / SCH2K1R
Charging time, h	3-4	3-4
Battery	3.6V 5000mAh Li-ion battery pack	7.2V 5200mAh Li-ion battery pack
Protection class	IP54 / IK07	IP54 / IK07
Dimensions, mm	ø32 x 124	42 x 33 x 148
Net weight	210g	240g
Price	€ 44.90	€ 49.90



Model	WCB001R	CB-UHL101R	CB-SFL501R
Description	Multifunctional wireless charging base	charging base for UHL101R	CB-SFL501R charging base for SFL501R
Light source	/	ring-shaped COB LED / high-power LED	/
Luminous flux, lm	/	flood: 800 spot: 400	/
Beam angle	/	flood: 120° spot: 18°	/
Special light wavelength, nm	/	/	/
Protection class	IP20 / IK06	IP54 / IK07	IP65 / IK07
Dimensions, mm	186 x 78 x 29	ø61 x 104	58 x 82 x 100
Net weight	160g	260g	99g
Price	€ 39.90	€ 44.90	€ 19.90

ACCESSORIES


Model	ACS301F	ACS181W	ACS701L	ACS402F	ACS201P	ACS528M
Description	heavy-duty tripod stand	heavy-duty tripod stand with wheels	L-shaped bracket	Heavy-duty C-shaped clip	multi-functional fasteners pair	magnetic hook
height range	1.35-3m	0.7-1.8m	/	/	/	/
fit to	AUD202H / AUD502H SPX601H / SPX601C SPX10K1C / Underhood light series	AUD202H / AUD502H SPX601H / SPX601C SPX10K1C / Underhood light series	AUD202H AUD502H ACS301F ACS181W	AUD202H / AUD502H SPX601H / SPX601C SPX10K1C	Underhood light series ACS301F ACS181W	SLM151R SLM401R
Dimensions, mm	1080x140x130mm	700x300x300mm	101x90x39mm	103x45x115mm	147x86x33mm 147x93x27mm	42x22x53mm
Net weight	6000g	6000g	180g	309g	420g	33g
Price	€ 99.90	€ 109.90	€ 19.90	€ 27.90	€ 24.90	€ 6.90



Model	NB-ASL201R	NB-ASL501R	NB-AUD202H	NB-AUD502H	NB-ACS301F	NB-ACS181W
Description	nylon bag for articulating slim light ASL201R / 201RUV / 202RUV	nylon bag for articulating slim light ASL501R	nylon bag for audio light AUD202H	nylon bag for audio light AUD502H	nylon bag for ACS301F	nylon bag for ACS181W
Dimensions, mm	60 x 35 x 160	65 x 35 x 195	310 x 115 x 290	210 x 100 x 220	160 x 140 x 1100	265 x 210 x 960
Net weight	65g	71g	580g	800g	720g	800g
Price	€ 5.49	€ 5.90	€ 39.90	€ 44.90	€ 29.90	€ 35.90



Model	A515C	A525C	C842415C	C84245C	MDC1	TPC1
Description	5V 1.5A adapter	5V 2.5A adapter	8.4V 2.4A charger	8.4V 2.4A charger	Mini DC USB cable	USB type-C cable
Dimensions, mm	/	1.5m	1.5m	5m	1m	1m
Net weight	32g	83g	112g	481g	25g	25g
Price	€ 9.90	€ 19.90	€ 21.90	€ 56.90	€ 2.90	€ 3.75



Just Brilliant!



Exclusive European partner:

SCANGRIP A/S
Rytterhaven 9
DK-5700 Svendborg
Denmark
Tel: +45 6320 6320
als@scangrip.com

AEC Lighting Solutions Co., Ltd.
Shanghai 201801, China
www.advancedlightingsystems.com

